

## Product Change Notification / SYST-16MJTF637

## Date:

17-Jan-2022

## **Product Category:**

USB Products

## PCN Type:

**Document Change** 

## **Notification Subject:**

Data Sheet - USB4715 - USB 2.0 Hi-Speed Hub Controller with FlexConnect on all Ports Data Sheet Document Revision

## **Affected CPNs:**

SYST-16MJTF637\_Affected\_CPN\_01172022.pdf SYST-16MJTF637\_Affected\_CPN\_01172022.csv

# Notification Text:

SYST-16MJTF637

Microchip has released a new Product Documents for the USB4715 - USB 2.0 Hi-Speed Hub Controller with FlexConnect on all Ports of devices. If you are using one of these devices please read the document located at USB4715 - USB 2.0 Hi-Speed Hub Controller with FlexConnect on all Ports.

### Notification Status: Final

#### Description of Change:

1) Section 9.1 "Absolute Maximum Ratings": XTALI/CLK\_IN with respect to ground value updated to +3.6V

2) Section 9.2 "Operating Conditions": XTALI/CLK\_IN Voltage value updated to -03V to VDDIO33

3) Section 9.5 "DC Specifications": ICLK Type Input Buffer, High Input Level value updated to VDDIO33

4) Changes to Table 9-3 "I/O DC Electrical Characteristics": Max value updated for "I Type Input Buffer" and "IS Type Input Buffer". The following note removed below the table: "0.42V for interfaces using open drain with pull-ups to voltages up to 2.1V. 0.34V for interfaces using open drain with pull-ups to voltages greater than 2.1V"

Impacts to Data Sheet: See above details.

Reason for Change: To Improve Productivity

Change Implementation Status: Complete

Date Document Changes Effective: 17 Jan 2022

NOTE: Please be advised that this is a change to the document only the product has not been changed..

Markings to Distinguish Revised from Unrevised Devices: N/A

## Attachments:

USB4715 - USB 2.0 Hi-Speed Hub Controller with FlexConnect on all Ports

Please contact your local Microchip sales office with questions or concerns regarding this notification.

### **Terms and Conditions:**

If you wish to <u>receive Microchip PCNs via email</u> please register for our PCN email service at our <u>PCN</u> home page select register then fill in the required fields. You will find instructions about registering for Microchips PCN email service in the <u>PCN FAQ</u> section.

If you wish to <u>change your PCN profile</u>, <u>including opt out</u>, please go to the <u>PCN home page</u> select login and sign into your myMicrochip account. Select a profile option from the left navigation bar and make the applicable selections. SYST-16MJTF637 - Data Sheet - USB4715 - USB 2.0 Hi-Speed Hub Controller with FlexConnect on all Ports Data Sheet Document Revision

Affected Catalog Part Numbers (CPN)

USB4715-I/Y9X USB4715-I/Y9XVAA USB4715/Y9X USB4715T-I/Y9X USB4715T-I/Y9XVAA USB4715T/Y9X