ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INFORMATION CONNECTING	PC, Bannock	burn, Illinois. A	ll rights reserved u ntions.	under both	This docume level parts, t	ent is a declar the declaratio	ration con	of the substa mpasses all	nces w lower l	ithin the manufa evel materials fo	cturer listed i r which the r	item. N nanufa	lote: if th cturer ha	e item is an as s engineering	sembly with low responsibility.
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Mater					terials and N	1fg Info	ormation		
Supplier Information															
Company name*			Company unique ID			Unique ID Authority					Respon	Response Date*			
onsemi										2023-06-08					
Contact Name	Title - Conta	tle - Contact			Phone - Contact*					Email -	Email - Contact*				
Product-Env-Stewards			Product Enviro Compliance			NA					Produc	Product-Env-Stewards@onsemi.com			
Authorized Representative*			Title - Representative			Phone - Representative*				Email -	Email - Representative*				
Product-Env-Stewards	Product Enviro Compliance				NA				Produc	Product-Env-Stewards@onsemi.com					
Requester Item Number	Mfr Iter	n Number	Mfr Item Name			Effective Date Version Manufacturing Site			Weigh	ıt*	UOM	Unit Type			
	FAN80	FAN8060EMPX Step down		o down DC/DC Converter		2023-06-08			TH	TH2		21.821	l	mg	Each
Ianufacturing Proccess Informa	tion													1	I
Terminal Plating / Grid Array M	aterial	Terminal Base A	Alloy	J-STD-020 MS	L Rating	Peak Process Body Tempera		erature	ure Max Time at Peak Ter		erature Number of Reflow Cycles		les		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		1		260		С		30		nds	3		
omments															
vel 1 - maximum time at peak temperat	ire during so	ldering is 10-3	0 seconds												
or more information regarding material	composition	please refer to	page 3												

RoHS Material Composition Declaration				Declaration Type *	Detailed
Directive 2015/863/EU amending RoHS Directive 2011/65/EU		nium (Cr6+), Polybro	ominated Biphenyls (PBB), Polybron	dmium and quantity limit of 0.1% by mass (100 minated Diphenyl Ethers (PBDE), and Bis(2-eth	
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all
Exemption List Version	EL-2011/534/EU				
Declaration Signature					
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the
Supplier Digital Signature Ra	stislav Drska	Le			

## Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

sigma range of distribution unless otherwise noted).										
Homogeneous Material	Weight	Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure		
Die	3.51	mg	Supplier	Silicon (Si)	7440-21-3		3.51	mg		
Die Attach	0.333	mg	Supplier	Silver (Ag)	7440-22-4		0.2997	mg		
			Supplier	Phenolic Resin-2	54208-63-8		0.0333	mg		
Lead Frame	9.629	mg	Supplier	Tin (Sn)	7440-31-5		0.0241	mg		
			Supplier	Zinc (Zn)	7440-66-6		0.0212	mg		
			Supplier	Chromium (Cr)	7440-47-3		0.0241	mg		
			Supplier	Copper (Cu)	7440-50-8		9.5597	mg		
Mold Compound-Black	7.68	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.768	mg		
			Supplier	Carbon Black (C)	1333-86-4		0.077	mg		
			Supplier	Fused Silica (SiO2)	60676-86-0		6.835	mg		
Plating	0.421	mg	Supplier	Palladium (Pd)	7440-05-3		0.048	mg		
			В	Nickel (Ni)	7440-02-0		0.365	mg		
			Supplier	Gold (Au)	7440-57-5		0.008	mg		
Wire Bond - Au	0.248	mg	Supplier	Gold (Au)	7440-57-5		0.248	mg		

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 signa range of distribution unless otherwise noted).