

<b>PCN Number:</b>	20150519000	<b>PCN Date:</b>	06/03/2015
<b>Title:</b>	Datasheet update for TI Part # BQ24260/BQ24261/BQ24262		
<b>Customer Contact:</b>	<a href="#">PCN Manager</a>	<b>Dept:</b>	Quality Services
<b>Change Type:</b>			
<input type="checkbox"/>	Assembly Site	<input type="checkbox"/>	Design
<input type="checkbox"/>	Assembly Process	<input checked="" type="checkbox"/>	Data Sheet
<input type="checkbox"/>	Assembly Materials	<input type="checkbox"/>	Part number change
<input type="checkbox"/>	Mechanical Specification	<input type="checkbox"/>	Test Site
<input type="checkbox"/>	Packing/Shipping/Labeling	<input type="checkbox"/>	Test Process
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Bump Site
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Bump Material
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Bump Process
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Fab Site
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Fab Materials
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Fab Process

### PCN Details

#### Description of Change:

Texas Instruments Incorporated is announcing an information only notification etc.

The product datasheet(s) is being updated as summarized below.

The following change history provides further details.



**bq24260, bq24261, bq24261M, bq24262**

SLUSBU4D – DECEMBER 2013 – REVISED APRIL 2015

[www.ti.com](http://www.ti.com)

#### Changes from Revision C (March 2015) to Revision D

Page

• Added device bq24261M .....	1
• Changed minimum capacitance for DRV pin from 1 µF to 2.2 µF .....	5
• Changed absolute max voltage for DRV, SYS from 5.0 V to 5.5 V .....	6
• Changed VSYSREG(HI) from VBATREG+1.6% to original VBATREG+2.5% typical .....	7
• Added bq24261M VSYSREG(HI) = 1.6% typical .....	7
• Changed ILIM(DISCH) from 9 A to original 6 A typical .....	7
• Added bq24261M ILIM(DISCH) = 9 A typical .....	7
• Added Explanation for Reg05h B4 Force D+/D- .....	36
• Changed bypass capacitor value from 1 µF to 2.2 µF in the Typical Application Circuit .....	38

The datasheet number will be changing.

Device Family	Change From:	Change To:
<a href="#">BQ24260/61/62</a>	SLUSBU4C	<b>SLUSBU4D</b>

These changes may be reviewed at the datasheet links provided.

<http://www.ti.com/product/bq24261>

#### Reason for Change:

To more accurately reflect device characteristics.

#### Anticipated impact on Fit, Form, Function, Quality or Reliability (positive / negative):

No anticipated impact. This is a specification change announcement only. There are no changes to the actual device.

#### Changes to product identification resulting from this PCN:

None.

#### Product Affected:

BQ24260RGER	BQ24261RGER	BQ24261MRGER	BQ24262RGER
BQ24260YFFR	BQ24261RGET	BQ24261MRGET	BQ24262RGET
BQ24260YFFT	BQ24261YFFR	BQ24261MYFFR	BQ24262YFFR
BQ24260RGET	BQ24261YFFT	BQ24261MYFFT	BQ24262YFFT

For questions regarding this notice, e-mails can be sent to the regional contacts shown below or your local Field Sales Representative.

<b>Location</b>	<b>E-Mail</b>
USA	<a href="mailto:PCNAmericasContact@list.ti.com">PCNAmericasContact@list.ti.com</a>
Europe	<a href="mailto:PCNEuropeContact@list.ti.com">PCNEuropeContact@list.ti.com</a>
Asia Pacific	<a href="mailto:PCNAsiaContact@list.ti.com">PCNAsiaContact@list.ti.com</a>
Japan	<a href="mailto:PCNJapanContact@list.ti.com">PCNJapanContact@list.ti.com</a>