

June 11, 2020

Dear: _____

Hirose Electric Co. Ltd.
5-23. Osaki 5-chome, Shinagawa-ku, Tokyo

Change of packaging specification

We truly appreciate your significant support always.

We are currently planning on the captioned change for the reasons described as below.

Forwarding shares the notification in advance. Your approval on the change will be appreciated.

1	Target product	Please refer the attachment sheet.
2	Change type	Embossed paper reel+ Plastic bag + silica gel → Embossed plastic reel + Aluminum bag+ silica gel + deaeration
3	Content of change	Change of packaging specification
4	Reason of the change	To improve product performance
5	Delivery timing of the changed product	From the production on November 1, 2020.

It will be appreciated if you could kindly inform our sales representative of your approval by the requested date shown as above. Please note that if we did not receive your reply by the requested date, the changed product will be delivered as described in the document.

If there is any unclear part, please kindly contact our sales representative in charge.

Approval

(Customer → Sales representative of Hirose)

Notification of change to the product and request for approval

We hereby approve the changes and schedule of the captioned documents.

Customer name: _____

Seal of approval _____

Hirose Electric Co., Ltd

(tear-off line)

Receipt of document

(Customer → Sales representative of Hirose)

Notification of change to the product and request for approval

We have received the captioned document.

Customer name: _____


Seal of approval _____

Hirose Electric Co., Ltd

Target product list


Product code	Product name by Hirose
543-0195-0 27	DF11DZ-24DP-2V(27)
543-0587-0 57	DF11-8DP-2V(57)
543-0588-3 57	DF11-10DP-2V(57)
543-0684-7 57	DF11C-8DP-2V(57)
543-0685-0 57	DF11C-10DP-2V(57)
543-0686-2 57	DF11C-12DP-2V(57)
543-2027-7 27	DF11Z-24DP-2V(27)
543-2029-2 27	DF11Z-28DP-2V(27)
543-2048-7 27	DF11CZ-6DP-2V(27)
543-2049-0 27	DF11CZ-8DP-2V(27)
543-2050-9 27	DF11CZ-10DP-2V(27)
543-2058-0 27	DF11CZ-26DP-2V(27)

Before the change
Packed in polyethylene bags



The reel is packed in a polyethylene bag (transparent) in normal

Contains drying agent (silica gel)



Product name label

Embossed paper reel

After the change
Aluminum bag and deaeration packaging



The reel is packed in an aluminum bag (non-transparent) and deaeration packaging

Caution
This bag contains MOISTURE-SENSITIVE DEVICES

1. Calculated shelf life in sealed bag: 6 months at < 60°C and < 70% relative humidity (RH)
2. Peak package body temperature:
250°C (within 168 hours (7days) after opening sealed bag)
240°C (after 168 hours (7days) after opening sealed bag)
3. After bag is opened, devices that will be subjected to reflow solder or other high temperature with 250°C must be processed with BAKING @ 50°C / 48 hours in baking oven.
4. If you do not use up all items, please seal the bag to prevent air from entering.

Bag Seal Date: see part No. label

Contains drying agent (silica gel)

Product name label is attached to identify the



Product name label

Embossed plastic reel

The reel was packed in a polyethylene bag containing silica gel. Only the product label was attached to the reel. Paper was used for the emboss reel.

The reel is placed in an aluminum bag containing silica gel and deaerated and packed. Since the aluminum bag is not transparent and its contents cannot be identified the product label and caution label are also attached to the packaging bag. A product label is attached to the reel. Emboss reel will be changed to a PS plastic reel.

